



EVERYDAY COARSE SWEET 1800 FEED

GUARANTEED ANALYSIS


| | | |
|---------------|--------------|--------------|
| CRUDE PROTEIN | (MIN) | 18.00% |
| CRUDE FAT | (MIN) | 3.25% |
| CRUDE FIBER | (MAX) | 8.50% |
| CALCIUM | (MIN) 0.70% | (MAX) 0.90% |
| PHOSPHORUS | (MIN) | 0.60% |
| COPPER | (MIN) 30 ppm | (MAX) 45 ppm |
| SELENIUM | (MIN) | 0.40ppm |
| ZINC | (MIN) | 100 ppm |
| VITAMIN A | (MIN) | 4000 IU/lb |

INGREDIENTS

Wheat Middlings, Soybean Meal/Canola Meal, Soybean Hulls, Corn Distillers, Dried Grains w/ Solubles, Ground Yellow Corn/Ground Barley, Steamed Rolled Yellow Corn, Crimped Oats, Cane Molasses, Dehydrated Alfalfa Meal (with preservative), Salt, Fat-Vegetable Blend, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Sulfate, Potassium Sulfate, Choline Chloride, Zinc Oxide, Zinc Proteinate, Manganous Oxide, Manganese Proteinate, Iron Sulfate, Vitamin E, Copper Sulfate, Sodium Selenite, Selenium Yeast, Vitamin B₁₂, Folic Acid, Vitamin A, Pantothenic Acid, Mineral Oil, Riboflavin, Niacin, Vitamin D, Biotin, Thiamine, Pyndoine HCl, Vitamin K, Calcium Iodate, Cobalt Carbonate, Cobalt Proteinate.

**CAUTION: THIS FEED CONTAINS ADDED COPPER
DO NOT FEED TO SHEEP OR OTHER COPPER SENSITIVE SPECIES**

Manufactured by:



148 Longmeadow Road
Taunton, MA 02780

Feeding Directions:

Horses:

Designed to be fed to young horses from 3 months of age until 18 months of age and to those horses being fed low protein forages.

Foals being creep fed: $\frac{1}{2}$ to $\frac{3}{4}$ lb/100lbs of body weight

Weanlings to 6 months of age: 1 - $1\frac{3}{4}$ lbs/100lbs of body weight

Yearlings up to 15 months of age: $\frac{1}{2}$ - $1\frac{1}{2}$ lbs /100 lbs of body weight

Goats:

Kids 3-6 months of age feed free choice

Dry, Pregnant Doe $\frac{1}{4}$ - $\frac{1}{2}$ lb per day

Lactating Doe 4-6 lbs milk/day feed $1\frac{1}{2}$ - 3lbs/day

7-10 lbs milk/day feed $2\frac{1}{4}$ - $4\frac{1}{2}$ lbs/day

11-14 lbs milk/day feed 5 - $7\frac{1}{4}$ lbs/day

When fed with legume or mixed mostly legume hay.

Dairy:

For dairy animals fed high quality hay, haylages and/or pastures and low levels of corn silage. It may be used as a fitting ration and for replacement animals, changing over gradually from Everyday Calf Starter around 3 months of age.

Feeding Rate: Varies from $\frac{1}{4}$ lb/100 lbs body weight at maintenance to $2\frac{1}{2}$ lbs/100 lbs body weight for lactation, fattening or fast growth.

Amount of concentrate depends on quality of forage and condition of animal. Always provide plenty of clean fresh water.

The suggested feeding program is for use as a guide only. The animal's requirements may change due to breed, environment and management.

